



AGENDA
Middleton Planning & Zoning
Commission Meeting

Date: Monday, August 8, 2022

Time: 5:30 p.m.

Location: City Hall Chambers - 1103 W Main St., Middleton, Idaho

Call To Order, Pledge of Allegiance, Roll Call

Action Items

1. Consent Agenda (items of routine administrative business)
 - a. Consider approving July 11, 2022, regular meeting minutes.
2. **Public Hearing:** Application by Brien Riff for Special Use Permit with respect to a vacant parcel located at 0 E. 2nd Street (Parcel No. R186120). The parcel is .134 acres in size and is currently zoned M-F (Multi-Family). Applicant is requesting a Special Use Permit to construct a duplex home ("single family dwelling- attached") on the project site. – Roberta Stewart
3. **Public Hearing:** An application by Wade Thomas, IAG, LLC and Bob Unger, Unger Enterprises, LLC for preliminary plat, with respect to the Hidden Mill Subdivision (Tax Parcel No. 33891010). The proposed preliminary plat consists of 20 residential lots and 4 common lots on approximately 6.665 acres of land currently in city limits and zoned R-3. – Jennica Reynolds

Public Comments, Commission and Staff Comments, Adjourn

Posted by: 
Jennica Reynolds - Deputy Clerk, Planning

Date: August 4, 2022, at 5:00 p.m.

Please contact the city at 208-585-3133 if you have special needs or require assistance.

1a

**MIDDLETON CITY PLANNING AND ZONING
COMMISSION MINUTES
JULY 11, 2022**

Pledge of Allegiance, Roll Call & Call to Order: The July 11, 2022, Planning and Zoning Commission Meeting was called to order by Vice Chairman Summers at 5:33 p.m. Commissioners Crofts, Christiansen and Tremble were present. Chairman Waltemate was absent. Planning & Zoning Official, Roberta Stewart and Planning Deputy Clerk, Jennica Reynolds were also present.

Action Items:

- 1. Introduction of New Commissioner: Allen Tremble**
Commissioner Tremble gave a brief introduction of himself.
- 2. Consent Agenda (items of routine administrative business)**
 - a. Consider approving June 13, 2022, regular meeting minutes.
 - b. Consider approving the written Findings of Facts, Conclusions of Law and Recommendation for approval for City's application to amend Middleton City Code.

Motion: Motion by Commissioner Crofts to approve the consent agenda items 2a-b. Motion seconded by Commissioner Christensen and passed unanimously by Crofts and Summers. Tremble abstained.

- 3. Public Hearing: (Request to be tabled) An application by Briggs Miller and Kyle Miller for preliminary plat, with respect to the Heights Landing Subdivision located at 23443 Cemetery Road (Tax Parcel Nos. R17904010 and R17904000). The proposed preliminary plat consists of 12 residential lots and 1 common lot on 4.1 acres of land currently in city limits and zoned R-3. – Roberta Stewart**

Motion: Motion by Commissioner Christensen to table item 3 to August 8, 2022. Motion seconded by Commissioner Tremble and approved unanimously.

- 4. Public Hearing: (Request to be tabled) An application by Wade Thomas, IAG, LLC and Bob Unger, Unger Enterprises, LLC for preliminary plat, with respect to the Hidden Mill Subdivision (Tax Parcel No. 33891010). The proposed preliminary plat consists of 20 residential lots and 4 common lots on approximately 6.665 acres of land currently in city limits and zoned R-3. – Roberta Stewart**

Motion: Motion by Commissioner Crofts to table item 4 to August 8, 2022. Motion seconded by Commissioner Christensen and approved unanimously.

Public Comments, Commission and Staff Comments

Mike Graefe – We are down 2 police officers, this should be a consideration on approvals. Welcome to Commissioner Tremble. N. Middleton road, the paving for 70 yards north of Meadow Park Blvd is a mess.

Vice Chairman Summers: CHD4 did the paving. It is not a City project.

Adjourn: Vice Chairman Summers adjourned the meeting at 5:50 p.m.

Heidal Summers, Vice Chairman

ATTEST: Jennica Reynolds
Deputy Clerk, Planning

Approved: August 8, 2022

police



STAFF REVIEW AND REPORT

Middleton Planning and Zoning Commission

Brien Riff Special Use Permit Application

(0 E. 2nd Street – Tax Parcel No. R186120)

Snapshot Summary




Proposed Residential
Duplex




Location: vacant lot
near intersection of
Hawthorne & 2nd St.

- A. Planning & Zoning Commission Hearing Date:** August 8, 2022
- B. Project Description & Application Request:** Application by Brien Riff for special use permit to build residential duplex at 0 E. 2nd Street (Tax Parcel No. R186120).
- C. Current Zoning & Property Condition:** The property is within city limits and zoned Multi-Family (M-F). The parcel is bordered on the north by property zoned R-4. It is surrounded on the other three sides with M-F zoning.



- D. City Services:** City water and sewer are accessible to the project. Both are adjacent to the site.



There may be an issue regarding whether the 2" water line in 2nd Street can adequately handle a 7th connection that would be required for this new duplex. Therefore, Staff recommends that as a condition of approval Owner shall ensure that the tap into the existing line is water-tight by making any repairs to the 2" line for defects that are exposed during excavation.

Additional conditions should be (1) Owner will acknowledge that water flow quantity may be compromised to some degree during peak use hours, (2) until water line is brought up to current standards, Owner will be limited to a single ¾" residential water service to serve only the domestic needs of the duplex unit, (3) Owner cannot use City water for landscape irrigation or fire suppression.

E. Special Use Permit: - A Duplex (or "single family dwelling, attached") is an allowed use in the M-F zone with a special use permit.

Use ^{1,2}	A-R	C-1	C-2	C-3	M-1	M-2	R-1	R-2	R-3	RRR	TOD	M-F	M-U
Secondhand/thrift stores			A	A	A								
Security residence (manufactured home)				S	S	S							S
Sexually oriented business						S							
Sign shop		S	A	A	A	A					A		A
Single-family dwelling, attached												S	S
Single-family dwelling/group residence per Idaho Code 67-6532	A						A	A	A			A	A
Staging area		S	A	A	A	A							S
Studio, dance, music, voice (indoor)		A	A	A	A	A	S	S	S		A	S	A
Tattoo and/or piercing parlor						A							
Taxidermy				A	A	A							

The P&Z Commission makes the final decision on whether to deny or approve an application for special use permit (MCC 1-15-7). The application does not proceed to City Council.

Before the Commission can approve a special use permit application, it must make the following four findings: (1) the proposed use is not unreasonable or incompatible with other uses in the area, (2) the use is designated in the City's Use Table MCC 5-4-1, Table 1 as a "special use", (3) City services can be adequately extended to support the proposed use, and (4) the use is not in conflict with the Comprehensive Plan (MCC 1-15-7).

Under MCC 1-15-7(C), the Commission may also mandate conditions of approval to mitigate any adverse impacts proposed by the special use.

Staff Findings:

As to finding No. 2, Planning Staff finds that the duplex is a use designated under M-F in the "Use Table" (MCC 5-4-1, Table 1), so there is no issue there.

As to finding No. 3, Planning Staff finds that city services, such as sewer and water, can be adequately extended to the site as already shown above.

As to finding 4, Planning Staff finds that the duplex is not in conflict with the Comprehensive Plan. The duplex is a “residential use, and the Comprehensive Plan, Future Land Use Map shows “mixed use”, which includes all residential use types.



Finding No 1, may take a little more thought. The Commission must determine if the duplex proposed is “not unreasonable or incompatible” with the surrounding neighborhood. In other words, will it fit in or be discordant.

A rendering of the proposed duplex is below.



This is a generic rendering of the duplex product. The previous rendering, however, is a more accurate representation of what is actually proposed for the site.



Below are pictures of the lots and buildings surrounding this proposed duplex lot.







- F. Comments Received from Surrounding Landowners:** None
- G. Comments from Agencies:** None
- H. Comments from City Engineer and Planning Staff:** None.
- I. Applicant Information:** Applicant is Brien Riff, 2976 E. State Street #120, Box 23, Eagle Idaho 83616. 208.573.5779 / Riffbrien@gmail.com
- J. Notices & Neighborhood Meeting:**
- | | Dates: |
|---|---------------|
| Newspaper Notification | 7/24/2022 |
| Radius notification mailed to Adjacent landowners within 500' | 7/21/2022 |
| Circulation to Agencies | 7/21/2022 |
| Sign Posting property | 7/22/2022 |
| Neighborhood Meeting | 8/1/2022 |
- K. Pertinent Codes and Standards:**
- Idaho Standards for Public Works Construction, the Middleton Supplement to the Idaho Standards for Public Works Construction, Middleton City Code 1-3, 1-14, 1-15, 5-1, 5- and Idaho Code Title 67, Chapter 65.
- L. Conclusions and Recommended Conditions of Approval:**
- Per State law and the Middleton City Code, any final order must be based upon findings of facts and conclusions of law.
- As to Findings of Facts,** Planning Staff has set forth findings of facts above in parentheses, except Staff did not set forth any opinion or statement on whether the proposed duplex is “compatible with” and “reasonable for” the surrounding neighborhood.
- As to Conclusions of Law,** Planning Staff finds that the Planning & Zoning Commission has the authority to hear the application and to approve or deny the special use permit with or without conditions. Additionally, Planning Staff notes that all public notice requirements were met. Planning Staff further set forth the portions of the

Idaho State Code and Middleton City Code to be considered in making an order or recommendation on the applications.

Order: If the Commission is inclined to approve the Special Use Permit Application, Staff recommends the following conditions of approval

1. Applicant must comply with all dimensional standards and setbacks in the Middleton City Code for the M-F zone.
2. Owner shall ensure that the connection into the existing water line is water-tight by making any repairs to the 2" line for defects that are exposed during excavation.
3. Owner acknowledges that water flow quantity may be compromised to some degree during peak use hours.
4. Until water line is brought up to current standards, Owner will be limited to a single ¾" residential water service to serve only the domestic needs of the duplex unit.
5. Owner cannot use City water for landscape irrigation or fire suppression.

Prepared by Roberta Stewart
Planning & Zoning Director


Dated: 8/4/2022




STAFF REVIEW AND REPORT

Middleton Planning and Zoning Commission


Hidden Mill Subdivision Snapshot Summary



- A. Planning & Zoning Commission Hearing Date:** August 8, 2022
- B. Project Description:** Residential subdivision with 20 single family buildable lots and 4 common lots on 6.65 acres of vacant land located at the end of Cobblestone Ct., on the north side of Bridgewater Creek Subdivision. (Tax Parcels No. R33891010)
- C. Application Requests:** Applicant has one application for Preliminary Plat.
- D. Applicant Information:** Application was received and accepted on November 15, 2021
- Applicant/Owner: Wade Thomas, IAG, LLC
800 W. Main St., Suite 1460
Boise, Idaho 83702
- Representative: Bob Unger, Unger Enterprises, LLC
9662 W. Arnold Rd.
Boise, Idaho 83714
- E. Current Zoning & Property Condition:** The property is an infill lot and is located in Middleton City zoned R-3 (Single-Family Residential). It is adjacent to a residential subdivision (Bridgewater Creek) on the south that is zoned R-3 and the subdivision (Mountain View) on the north is zoned R-4. Mill Creek Elementary is located just to the east and north.




- F. **City Services:** City water and sewer are located immediately south in the Bridgewater Creek Subdivision.




Water — Sewer —

- G. Traffic, Access & Streets:** The subdivision is surrounded by the Mill Slough ditch along the north and west sides of the property. Road access will be through the Bridgewater Creek Subdivision to the south with Cobblestone Ct as the access point.
- H. Pathway, Sidewalks & Open Space:** There is an extensive pathway planned that will run along the Mill Slough to the north and west of the project. The public pathway will be a 10 ft wide asphalt paved path with a public access easement. This pathway will also connect to the existing pathway east of the project and north of McKinley Meadows. This pathway is identified in the Comprehensive Plan as a means of connecting to sidewalks/pathways along Middleton Road and the existing pathway to the south along SH44 and S. Middleton Rd. In all, the development will provide 13% open space with various amenities of covered areas, playground, picnic tables and benches located on the common lots.
- I. Middleton Rural Fire District:** Fire Chief Deputy Islas of Middleton Rural Fire District requires that each residence have a fire suppression sprinkler system installed in the home to bring it up fire code. This is because there is no additional access to the subdivision except Cobblestone Ct. The developer has agreed to this condition.
- J. Storm Drain and Pressurized Irrigation:** Storm drain facilities and pressurized irrigation have been provided and are approved by the City Engineer.
- K. Floodplain:** Middleton City Code 5-4-13-2 outlines the requirements for developing in the floodplain. The developer has submitted a Floodplain Development Permit Application and will bring the site up to code per FEMA and Middleton City Code. In addition, prior to each building permit issued the builder will be required to submit a flood plain permit application and a pre-construction elevation certificate. A post construction elevation certificate will also be submitted and approved prior to Certificate of Occupancy. Both the pre-construction and post construction elevation certificates will be reviewed and approved by the City Floodplain Administrator.
- L. Preliminary Plat Application:** The project will be brought to completion in one phase. (Exhibit "A" Preliminary Plat and Landscape Plan)

Preliminary Plat:



Landscape Plan:



FINDINGS:

Planning Staff finds that the preliminary plat complies with all dimensional standards and codes of the City of Middleton, and as will be shown in more detail below is in harmony with the Comprehensive Plan.

- K. Comprehensive Plan & Land Use Map:** Applicant's project complies with the Comprehensive Plan Land Use Map. The intended use is Residential which is an allowable use in the Mixed-Use area (green) shown on the Land Use Map.



Additionally, Applicant's project complies with the *Goals, Objectives, and Strategies* of the 2019 Middleton Comprehensive Plan as follows:

- a. *Goal 2:* Preserve and protect private property rights as required by Idaho law.
- b. *Goals 3:* The project provides safe transportation services by creating on-site sidewalks and pathways as extensions or connections to public pathways or sidewalks.

- c. *Goal 11:* The project will allow dwelling types that match residents' lifestyles by promoting in-fill housing improvements.

L. Comments from City Engineer and City Staff: Exhibit "B" Copies of City Engineer comments dated 4/4/2022, 5/31/2022 and recommendation letter dated 8/2/2022.
Staff Comments dated 4/5/2022

M. Comments from Agencies: Exhibit "C"
MRFD dated 4/8/2022:

N. Comments Received from Surrounding Landowners: Exhibit "D"
Brent Schwab dated 6/4/2022
Sam Sommer dated 6/7/2022

O. Notices:	Dates:
Neighborhood Meeting	11/1/2021
Newspaper Notification	5/29/2022
Radius notification mailed to Landowners within 500'	5/27/2022
Circulation to Agencies	5/27/2022
Sign Posting property	5/27/2022

Planning staff finds that notice was appropriate and given according to law. The hearing was tabled from June 13, 2022 to August 8, 2022 due to the Moratorium that was in place June 2, 2022 to July 20, 2022.

P. Applicable Codes and Standards:
Idaho Code Secs., 67-6503, 67-6509, 67-6511, 67-6513, 50-1301 through 50-1329.
Idaho Standards for Public Works Construction, the Middleton Supplement to the Idaho Standards for Public Works Construction.
Middleton City Code 1-14, 1-15, 5-1, 5-3, and 5-4.

Q. Conclusions and Recommended Conditions of Approval:

The Planning & Zoning Commission is tasked with considering the application for Preliminary Plat and then making a recommendation to City Council for approval or denial of the application.

According to Idaho State Law and the Middleton City Code, any recommendation must be based upon *Findings of Facts and Conclusions of Law*.

Findings of Facts:

Planning Staff has set forth the *Findings of Facts* above. If the Commission agrees with the testimony, evidence and *Findings of Facts* presented at the public hearing, the Commission may pass a motion to accept those *Findings of Facts*.

Conclusions of Law:

Planning Staff finds that the Planning & Zoning Commission has the authority to hear this application and to recommend approval or denial of this application. Planning Staff also notes all public notice requirements were met and set forth the portions of the Idaho State Code and Middleton City Code to be considered in making a recommendation on the application. If the public hearing is held and conducted in compliance with Idaho State Code and the Middleton City Code, then the Commission may pass a motion to accept the *Conclusions of Law* set forth in the Staff Report and public hearing.

If the Commission is inclined to recommend approval of the Preliminary Plat application based upon the above *Findings of Facts and Conclusions of Law*, then Planning Staff recommends that any approval be subject to the following conditions:

1. City of Middleton municipal domestic water, fire flow and sanitary sewer services are to be extended to serve the subdivision.
2. All City Engineer review comments are to be completed and approved.
3. All City planner comments to be completed and approved.
4. All City approved comments from MRFD to be completed and approved.
5. All Floodplain Administrator comments are to be completed and approved.
6. Pathway along the slough is to be 10 ft wide with a public access easement.
7. Sewer and water capacity to be reserved at the time the City approves the construction drawings for the project.

Lastly, if the Commission denies the application, Middleton City Code 1-14(E)(8) requires that the Commission “identify what the Applicant can modify in the application” to gain approval.

Prepared by: Jennica Reynolds - Deputy Clerk, Planning Dated: 8/4/2022

EXHIBIT “A”

Preliminary Plat & Landscape Plan

DEVELOPER
INVESTMENT ANALYTICS GROUP, LLC
800 W MAIN STREET, SUITE 1460
BOISE, IDAHO 83702
(208) 639-3262

PLANNER
BOB UNGER
UNGER ENTERPRISES, LLC
9662 W ARNOLD ROAD
BOISE, IDAHO 83714
(208) 861-5220

CIVIL ENGINEER
CORY SCHRACK, PE
NASLAND ENGINEERING
910 MAIN STREET, SUITE 314
BOISE, IDAHO 83702
(208) 918-4707

BENCHMARK
FOUND 5/8" IRON PIN
ELEV. (NAVD88) = 2401.67'

LAND SURVEYOR
JOHN GLETNE, PLS
VALLEY LAND SURVEYING, PLLC
5099 S VALLEY STREET,
BOISE, IDAHO 83709
(208) 261-2226

TOPOGRAPHY SOURCE
THE SOURCE OF TOPOGRAPHIC
INFORMATION IS A SURVEY COMPLETED
BY VALLEY LAND SURVEYING ON
11/4/2021.



SHEET INDEX
SHEET DESCRIPTION SHEET
COVER SHEET PP-01
PRELIMINARY PLAT PP-02

DEVELOPMENT FEATURES

TOTAL ACRES 6.69 AC
TOTAL LOTS 24
SINGLE-FAMILY LOTS 20
COMMON LOTS 4
TOTAL SINGLE FAMILY DENSITY 3.00 UNITS/AC
TOTAL OPEN SPACE 1.98 AC/29.6%
USABLE OPEN SPACE 1.13 AC/16.9%
EXISTING ZONING R-3
PROPOSED ZONING R-3

COMMON LOT CALCULATIONS

LOT	AREA	USEABLE AREA
LOT 9, BLK 1	3,250 SF	0 SF
LOT 14, BLK 1	2,888 SF	0 SF
LOT 15, BLK 1	64,414 SF	33,515 SF
LOT 17, BLK 1	15,590 SF	15,590 SF
TOTAL AREA:	1.98 AC	1.13 AC




BASIS OF BEARING
N89°44'52"W 1319.77'

CH&F NO. 2004-22693
CH&F NO. 2021-078748

PRELIMINARY PLAT FOR HIDDEN MILL SUBDIVISION

A PARCEL OF LAND BEING A PORTION OF THE SOUTHEAST QUARTER
OF THE SOUTHEAST QUARTER OF SECTION 6, TOWNSHIP 4 NORTH,
RANGE 2 WEST OF THE BOISE MERIDIAN, LOCATED IN THE CITY OF
MIDDLETON, COUNTY OF CANYON, STATE OF IDAHO
JULY 2022



VICINITY MAP
NOT TO SCALE

LEGEND

EXISTING:	
	POWER POLE
	FOUND 5/8" IRON PIN
	FOUND BRASS CAP MONUMENT
	CALCULATED POSITION
	PROJECT BENCHMARK
	IRRIGATION VALVE
	MONITORING WELL
	SANITARY SEWER MANHOLE
	TELEPHONE PEDESTAL
	WATER VALVE
	PROPERTY BOUNDARY LINE
	SECTION LINE
	RIGHT-OF-WAY LINE
	FENCE
	SEWER MAIN
	WATER MAIN
	OVERHEAD POWER LINE
	EDGE OF PAVEMENT
	EASEMENT LINE
	FEMA AE ZONE
	FEMA REGULATORY FLOODWAY

PROPOSED:	
	RIGHT-OF-WAY LINE
	LOT LINE
	CENTERLINE
	EASEMENT
	3" ROLLED CURB & GUTTER
	SIDEWALK
	8" SEWER MAIN
	8" WATER MAIN
	PRESSURIZED IRRIGATION LINE
	SEWER MANHOLE
	WATER VALVE
	FIRE HYDRANT
	SAND AND GREASE TRAP
	STREET LIGHT
	MAIL BOX CLUSTER

- NOTES**
- ALL LOT LINES COMMON TO A PUBLIC RIGHT-OF-WAY HAVE A 10' GENERAL ACCESS AND UTILITY EASEMENT. ALL SIDE YARD LOT LINES HAVE A 5' PROPERTY DRAINAGE, UTILITY & IRRIGATION EASEMENT. UNLESS OTHERWISE SHOWN, ALL INTERIOR SIDE LOT LINES SHALL HAVE A PERMANENT EASEMENT FOR PUBLIC UTILITIES OVER THE 10' ADJACENT TO ANY REAR LOT LINE OR SUBDIVISION BOUNDARY.
 - ALL LOTS ARE SINGLE FAMILY RESIDENTIAL EXCEPT, LOT 15, BLOCK 1, WHICH IS A COMMON/OPEN SPACE LOT; LOT 9 AND 14, BLOCK 1, WHICH ARE PRIVATE LANES; AND LOT 17, BLOCK 1, WHICH IS A DRAINAGE LOT. ALL COMMON/OPEN SPACE LOTS, PRIVATE LANES AND DRAINAGE LOTS SHALL BE OWNED AND MAINTAINED, AS SPECIFIED IN THE CCRS, BY THE HOMEOWNERS ASSOCIATION AND SHALL HAVE A BLANKET EASEMENT COVERING THE ENTIRE LOT FOR DRAINAGE AND UTILITIES.
 - DRAINAGE SHALL BE REMOVED VIA SURFACE FACILITIES AS APPROVED BY THE CITY OF MIDDLETON. NO STORMWATER IS DISCHARGED IN DRAINS OR OTHER. STORMDRAIN FACILITIES SHALL BE LOCATED OUTSIDE ANY AND ALL RIGHT-OF-WAY.
 - THIS SUBDIVISION IS IN COMPLIANCE WITH THE IDAHO CODE SECTION 31-3805(b) CONCERNING IRRIGATION WATER. PRESSURIZED IRRIGATION SHALL BE PROVIDED TO ALL LOTS BY A PRESSURE SYSTEM WITH WATER SUPPLIED BY THE UPGRADED BRIDGEWATER CREEK PUMP STATION. ALL LOTS SHALL BE ASSESSED BY THE MIDDLETON MILL DITCH COMPANY.
 - DOMESTIC AND FIRE PROTECTION WATER SHALL BE PROVIDED BY THE CITY OF MIDDLETON.
 - ALL LOTS WITHIN THIS DEVELOPMENT WILL BE DEVELOPED IN ONE PHASE.
 - ANY RESUBDIVISION OF THIS PLAT SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF RESUBDIVISION.
 - THE 10' PATHWAYS LOCATED IN THE FLOODWAY WILL BE CONSTRUCTED AT CURRENT ELEVATIONS OR BFE AS APPROVED BY THE CITY OF MIDDLETON.
 - THERE IS A PUBLIC ACCESS AND UTILITIES EASEMENT ON ALL PRIVATE LANES WHICH ARE OWNED AND MAINTAINED BY THE HOMEOWNERS ASSOCIATION.
 - ALL BUILDING SETBACK AND DIMENSIONAL STANDARDS SHALL BE IN COMPLIANCE WITH R-3 ZONING AT THE TIME OF BUILDING PERMIT ISSUANCE.
 - FIBER OPTIC TO BE PROVIDED TO EACH LOT DURING JOINT TRENCH CONSTRUCTION PER THE CITY OF MIDDLETON SUPPLEMENT TO THE ISPW.
 - MAILBOX CLUSTERS TO BE INSTALLED AS SHOWN ON THE PRELIMINARY PLAT.
 - ALL ROADS (EXCEPT PRIVATE LANES) ARE PUBLIC.
 - ALL 10' PATHWAYS SHOWN ON THE PRELIMINARY PLAT ARE CONSTRUCTED BY DEVELOPER/OWNER AND ARE ENCUMBERED WITH A PUBLIC ASSESS EASEMENT. HOWEVER, OWNER, OR ITS ASSIGNS, SUCCESSORS AND/OR THE HOMEOWNERS ASSOCIATION, SHALL BE RESPONSIBLE FOR REPAIRING AND MAINTAINING THE PATHWAYS ONCE CONSTRUCTED.
 - ALL PRESSURIZED IRRIGATION AND/OR DRAINAGE FACILITIES ARE TO BE LOCATED OUTSIDE OF ANY RIGHT-OF-WAY.
 - EXTERIOR BOUNDARY IS REQUIRED TO BE FENCED IN ACCORDANCE WITH THE APPROVED FENCING PLAN. ALL FENCING TO BE 6" VINYL OR APPROVED EQUAL. WAIVER TO ALLOW SUBDIVISION PERIMETER FENCING ALONG REAR BOUNDARY OF RESIDENTIAL LOTS ADJACENT TO OPEN SPACE RATHER THAN ON SUBDIVISION PERIMETER BOUNDARY (MCC 5-4-11-2) IS REQUESTED.
 - ALL PRIVATE LANES SHALL BE MARKED WITH PERMANENT "NO PARKING - FIRE LANE" SIGNS COMPLYING WITH THE 2018 INTERNATIONAL FIRE CODE.
 - ALL SINGLE FAMILY RESIDENTIAL LOTS SHALL HAVE AUTOMATIC SPRINKLER SYSTEMS COMPLYING WITH THE 2018 INTERNATIONAL FIRE CODE.
 - ALL EXISTING WELLS SHALL BE ABANDONED PER IDWR REGULATIONS. ALL SEPTIC SYSTEMS SHALL BE COMPLETELY REMOVED AND THE AREA RECOMPACTED PER GEOTECHNICAL REPORT.
 - SANITARY SEWER COLLECTION SHALL BE PROVIDED BY THE CITY OF MIDDLETON. UP TO 3FT OF SITE FILL WILL BE REQUIRED FOR SEWER INSTALLATION.

Nasland
910 Main Street, Suite 314
Boise, ID 83702
T 208 918-4859
nasland.com
Civil Engineering Consulting Land Planning

PROFESSIONAL ENGINEER
CORY SCHRACK
17727
STATE OF IDAHO
07/18/2022

HIDDEN MILL SUBDIVISION PRELIMINARY PLAT


REVISION	DATE	BY
ORIGINAL	07/18/2022	MN

NE JOB # 321-105.1
DATE: 07/18/2022
DRAWN BY: MN
CHECKED BY: CS

PRELIMINARY

COVER SHEET

PP-01



HIDDEN MILL SUBDIVISION PRELIMINARY PLAT





[illegible]

NE JOB #: 321-105.1
DATE: 07/18/2022
DRAWN BY: MN
CHECKED BY: CS

PRELIMINARY


PRELIMINARY
PLAT

PP-02




PRIVATE LANE SECTION

NOT TO SCALE




TYPICAL LOCAL ROAD SECTION (50' RIGHT-OF-WAY)

NOT TO SCALE



PLANT SCHEDULE					
TREES	BOTANICAL / COMMON NAME	CONT	CAL	QTY	REMARKS
	Betula nigra 'BNMTF' TM / Dura Heat River Birch	B&B	2"	5	35'h x 30'w
	Tilia cordata 'Greenspire' / Greenspire Littleleaf Linden	B & B	2"	3	35'H x 25'W, Class II

FENCING, TYP
4" OPEN VISION WHERE SF LOTS MEET COMMON LOTS & PATHWAY
6" CLOSED VISION WHERE SF LOTS ADJACENT TO OTHER SF LOTS



STACK ROCK GROUP
LANDSCAPE ARCHITECTURE & MASTER PLANNING

(208) 345-0500
404 S 8th St. #154
Boise, ID 83702
StackRockGroup.com

WILLET C HOWARD, PLA
OFFICE: (208) 345.0500 EMAIL: WILLET@STACKROCKGROUP.COM
WWW.STACKROCKGROUP.COM

THE GRAPHICS AND DESIGNS ON THIS SHEET ARE DELIVERABLES THAT REMAIN AT ALL TIMES PROPERTY OF STACK ROCK GROUP, INC.

REPRODUCTION OR REUSE OF THIS PRODUCT CONTAINED HERE IN IS PROHIBITED WITHOUT THE WRITTEN CONSENT OF STACK ROCK GROUP, INC.

©2022 STACK ROCK GROUP, INC.

Seals PRELIMINARY

NOT FOR CONSTRUCTION

HIDDEN MILL SUBDIVISION

MIDDLETON, IDAHO

REVISIONS		
MRK	DATE	Description
	**	**

JOB NO: 22-2383

DATE: 07.21.2022

DRAWN BY: JB

CHECKED BY: JB

DRAWING TITLE

LANDSCAPE PLAN

SHEET NUMBER

L100

LANDSCAPE NOTES:

1. REGULATIONS & STANDARDS

1.1. All contractor work shall be conducted in accordance with ISPWC (Idaho Standard Public Works Construction), 2022 (or most recent published), and City of Middleton, ID codes, standards and state and local regulations.
2. EXISTING CONDITIONS

2.1. All utilities shall be located prior to construction and protected. Any damage to structures, utilities or concrete will be replaced at contractor's expense.

2.2. The site has many existing improvements such as underground utilities, curb and gutter, light poles and sidewalks.

2.3. See Engineer's plans for information about existing features.

2.3.1. Refer to civil plans for all existing and/or proposed drainage pipes & locations, utilities. Protect all drainage at all times, protect all utilities at all times.
3. GRADING & SITE PREPARATION

3.1. Prepare finish grades for planting by grubbing and removing weeds. If necessary apply Round-Up (or equivalent herbicide), using a certified applicator. Remove rocks and other materials over 2".

3.2. All gravel overprep to be removed and disposed of off site.

3.3. Finish grade to be smooth transition to allow for entire site to be a natural flowing space.

3.4. Fine grade lawn areas to elevations set by Engineer's plans with positive drainage away from structures.

3.5. Refer to Engineer's plans for grading information & for all drainage pipes and locations. Protect and retain drainage at all times.

3.6. No pooling or standing water will be accepted per industry standards.
4. SOILS

4.1. Lawn areas shall receive 12" min depth of screened topsoil.

4.2. All planter beds shall receive 18" min depth of screened topsoil.

4.3. Reuse of existing topsoil that has been stockpiled on site is permitted if:

4.3.1. Topsoil is tested and analyzed to ensure a proper growing medium. Provide additional amendments as determined by soil tests.

4.3.2. Topsoil is to be loose, friable sandy loam that is clean and free of toxic materials, noxious weeds, weed seeds, rocks, grass or other foreign materials.

4.3.3. Topsoil shall have a pH of 6.5 to 8.0.

4.3.4. If on site topsoil does not meet these minimum standards contractor is responsible for providing approved imported topsoil or improving onsite topsoil per the approval of the project manager.

4.4. If imported topsoil is used it must be from a local source and be screened free of any debris or foreign matter. Topsoil must not contain rocks, sticks, lumps, or toxic matter and has a pH of
- 6.5-8.0.

Smooth, compact, and fine grade topsoil in lawn areas to smooth and uniform grade .5" below adjacent surfaces.
- 4.6. Amend all new plantings with 2 parts topsoil, 1 part compost.
5. LAWN AREAS

5.1. Sodded lawn to be tall turf-type fescue, or approved other.

5.2. Sodded lawn to be regionally/locally harvested, lay sod within 24 hours of harvesting.

5.3. Lay sod to form a solid mass with offset, tightly fitted joints on even grades.

5.4. Any existing lawn that is damaged shall be replaced with sodded lawn of the same type of existing lawn.

5.5. All lawn areas adjacent to planter beds, gravel areas, or aggregate pathways shall have 4" black steel edging installed per manufacturer recommendations. Other applications to be approved by owner and landscape architect.

5.6. Lawn adjacent to buildings, structures shall be a minimum of 18" away from foundations. Lawn adjacent to fences or other screening elements shall be a minimum of 9" away.

5.6.1. Install $\frac{3}{8}$ " chips or other approved gravel mulch type in mow strip at a depth of 3" over commercial grade weed barrier fabric installed per manufacturer recommendations.

5.7. Provide tree rings with a minimum 3' diameter around all trees located in lawn, mulch type & installation/application to match all other planter beds.
6. PLANTER BED MULCH

6.1. All planter beds to receive 3" depth of black & tan mini rock mulch or approved equal, submit for approval prior to placement. Install over commercial grade weed barrier fabric per manufacturer recommendations.
7. PLANTS

7.1. All plant material shall be installed per industry standards.

7.2. All plant material shall meet or exceed the minimum federal standards as regulated by ANSI z60.1, American Standard for Nursery Stock. Plants not meeting these standards for quality or plants determined to be unhealthy by Owner's representative, will be rejected.

7.3. All Ball and Burlap trees to be installed per Balled and Burlapped planting detail. All shrubs to be installed per detail.

7.4. Trees and shrubs over 30" shall not be planted within clear vision triangles.

7.5. Fertilize all trees and shrubs with 'Agriform' planting tablets or approved equal. Apply per manufacturers recommendations.
8. IRRIGATION

8.1. Irrigation system shall be built to the following specifications:

8.2. Adhere to city codes when connecting to city water.

8.3. All irrigation material to be new with manufacturers' warranty fully intact.

8.4. Install outdoor rated controller in specified location on plan, in a
- lock box with 2 keys. Coordinate with project manager and general contractor on exact location.
- 8.4.1. Controller to have On/Off rain switch or rain shut off device that does not alter program.
- 8.5. All remote control valves (including master control valve) to have flow control device.
- 8.6. Irrigation system piping to be minimum class 200 PVC or approved equal, sleeves to be double the size of pipes located within, all wires to be contained in separate sleeves 1-1/2" dia min.
- 8.7. All pipe above 3" caliber to be gasketed, with approved joint restraints at all 45, TEE, ELL, Z2, 11.
- 8.8. Use common trenching where possible.
- 8.9. All PVC located under hardscapes to be schedule 40 PVC with same req's as above.
- 8.10. All wires to be Paige wire 7350 or 7351 direct bury wire at a minimum of 12" below finished grade.
- 8.11. Connect mainline to point of connection in approximate location shown on plan.
- 8.12. Contractor is responsible complying with all codes and paying all permits necessary.
- 8.13. Sprinkler heads shall have matched precipitation within each control circuit. Velocities shall not exceed 5 feet per second.
- 8.14. All drip irrigation to be buried 2" below finished grade.
- 8.15. Water schedule to be provided at a min of 80% evapotranspiration as determined by the local ET.
- 8.16. Install all irrigation per irrigation drawings, utilize material specified or approved equal.
- 8.17. Contractor shall confirm the static water pressure at least five days before construction begins and to contact the landscape architect in writing if the pressure is below 80 psi.
- 8.18. If any discrepancies are found, then local codes shall prevail.
9. CONTRACTOR RESPONSIBILITIES

9.1. Estimated quantities are shown for general reference only. Contractor shall be responsible for all quantity estimates.

9.2. All plant material and workmanship shall be guaranteed for a period of one year beginning at the date of Acceptance by Owner. Replace all dead or unhealthy plant material immediately with same type and size at no cost to Owner.

9.3. Landscape contractor to turn in as built drawings at the end of project. Substantial completion will not be granted until 2 copies @ 1"=20' scale are turned in and approved by owner's representative.
10. In the event of a discrepancy, notify the Landscape Architect immediately.

NOTES:

1. DO NOT DAMAGE OR CUT LEADER
2. DO NOT DISTURB ROOT OR DAMAGE ROOT BALL WHEN INSTALLING TREE OR TREE STAKES.
3. TREE STAKING SHALL BE AT THE DISCRETION OF CONTRACTOR. HOWEVER ANY TREES DISTURBED FROM PLUMB DURING THE PLANT WARRANTEE PERIOD WILL BE REPAIRED OR REPLACED AT CONTRACTOR'S EXPENSE.
4. WATER PLANTS THOROUGHLY IMMEDIATELY AFTER INSTILLATION.
5. REMOVE ALL BURLAP, TWINE, ROPE, OR MATERIAL FROM THE TOP $\frac{1}{2}$ OF THE ROOTBALL.
6. 5" DIAMETER PLANTER BED/MULCH RING AROUND THE TRUNK OF THE TREE. 3" OF MULCH MIN. DO NOT PLACE MULCH WITHIN 2" OF TRUNK OF TREE.


NOTE:

REMOVE ALL TAGS, TWINE OR OTHER NON BIODEGRADABLE MATERIALS ATTACHED TO PLANT OR ROOT MASS.

BACKFILL SHALL BE 100% TOPSOIL. WATER SETTLE ALL PLANTINGS TO ENSURE PLANT ROOTBALL MAINTAINS $\frac{3}{4}$ " HEIGHT ABOVE EXISTING SOILS WHEN COMPLETE.

NOTE:


*CURB & ADJACENT PAVEMENT PER CIVIL OR HARDSCAPE PLANS
*TREE & SHRUB TO BE INSTALLED PER RESPECTIVE DETAILS
*PLANTS & MULCH PER PLAN



1 BALL & BURLAP TREE PLANTING

3/4" = 1'-0"


32933-01



2 SHRUB PLANTING

1" = 1'-0"


329333-03



3 PLANTER ISLAND DETAIL

3/4" = 1'-0"

P-CO-01



NOTE:
REFERENCE ACHD SUPPLEMENTAL DRAWING SD-709 & CIVIL DRAWINGS

X CONCRETE SIDEWALKS ADJ LANDING-12"

3/8" = 1'-0"

329320-05



STACK ROCK GROUP

LANDSCAPE
ARCHITECTURE
& MASTER PLANNING

(208) 345-0500
404 S 8th St. #154
Boise, ID 83702
StackRockGroup.com


WILLET C HOWARD, PLA
OFFICE: (208) 345.0500 EMAIL:
WLL@STACKROCKGROUP.COM
WWW.STACKROCKGROUP.COM

THE GRAPHICS AND DESIGNS
ON THIS SHEET ARE
DELIVERABLES THAT REMAIN
AT ALL TIMES PROPERTY OF
STACK ROCK GROUP, INC.

REPRODUCTION OR REUSE OF
THIS PRODUCT CONTAINED
HERE IN IS PROHIBITED
WITHOUT THE WRITTEN
CONSENT OF STACK ROCK
GROUP, INC.

©2022 STACK
ROCK GROUP, INC.

Seals PRELIMINARY



NOT FOR CONSTRUCTION

HIDDEN MILL SUBDIVISION

MIDDLETON, IDAHO

REVISIONS

MRK	DATE	Description
△	**	**

JOB NO: 22-2383
DATE: 07.21.2022
DRAWN BY: JB
CHECKED BY: JB

DRAWING TITLE

NOTES & DETAILS

SHEET NUMBER

L150

EXHIBIT “B”

City Engineer & Planner Comments



April 4, 2022

TO: Jennica Reynolds, Planner

FROM: Amy Woodruff, PE, Civil Dynamics PC
City Engineer

RE: **Hidden Mill Subdivision –Preliminary Plat**

Thank you for the opportunity to review the above referenced preliminary plat submittal.

Reduce plat to one page.

MCC 5-4-4.2. a. Please add bearing and distance to section corner, quarter corner or monument of record.

MCC 5-4-4.2. b. Add title block to the upper center. Add location and date.

MCC 5-4-4.2. g. Show floodplain and floodway on the plat.

MCC 5-4-4.2. h.

1. Dimension rights of way.
2. Show existing easements for Mill Slough.

MCC 5-4-4.2 a and l. The boundary is required to be surveyed and stamped by PLS including ties to corners. Use the description you provided and verify the boundary can be retraced before you resubmit.

A MCC 5-4-10-2. o. Number lots sequentially. Is Mill Slough area going to be a separate lot?

MCC 5-4-4.3. a

1. There is not sufficient sewer depth as shown. There is less than one (1) foot of cover. Add a note regarding site fill or otherwise address. Less than 3ft of cover is a concern for the City.

MCC 5-4-4.3.c

1. Add a note: Stormwater facilities are owned by HOA and the provisions for maintenance will be specified in CCRs. Specify lot 14 as used for stormwater management.

Note 6. Combine note 6 and note 12. Identify irrigation district and whether lots are subject to assessment.

Note 1. Put "and" between general access and utility.

Submit a variance application if the cul-de-sac length is greater than 600ft. Dimension it please – so the length may be verified.



May 23, 2022

TO: Jennica Reynolds, Planner

FROM: Amy Woodruff, PE, Civil Dynamics PC
City Engineer

RE: **Hidden Mill Subdivision –Preliminary Plat**

Thank you for the opportunity to review the above referenced preliminary plat follow up submittal.

MCC 5-4-4.2. g. Show floodplain and floodway on the plat. This information is not discernable.

MCC 5-4-4.2. h.

1. Dimension rights of way. Keep the 52ft right of way for Cobblestone through the culdesac then transition to 50ft for Hidden Mill limits.
2. Show existing easements for Mill Slough. If the Mill Slough easement is consistent through the limits then modify language to reflect 50ft from centerline of Mill Slough.

MCC 5-4-4.2 a and l. The boundary has a bearing in error on west side. Add the section corner and ties to PP-02.

MCC 5-4-4.3. a

1. There is not sufficient sewer depth as shown. There is less than one (1) foot of cover. **Add a note regarding the sewer and site fill: Up to three feet of site fill will be required for sewer installation.**



July 28, 2022

TO: Roberta Stewart, Planner

FROM: Civil Dynamics PC, City Engineer
Amy Woodruff, PE

RE: Hidden Mill Subdivision - Preliminary Plat Recommendation of Approval

Thank you for the opportunity to review the above referenced preliminary plat submittal.

We recommend Mayor and City Council approve the preliminary plat.

EXHIBIT “C”

Agency Comments



MIDDLETON STAR FIRE DISTRICTS

Fire District Headquarters
11665 W. State St., Suite B
Star, Idaho 83669

Tel. No.: (208) 286-7772
Web: www.midstarfire.org
Email: permits@starfirerescue.org

DATE: April 8, 2022

TO: Middleton City Planning and Zoning
Middleton City Council

FROM: Victor Islas, Deputy Chief

SUBJECT: Fire District Review

PROJECT NAME: The Hidden Mill Subdivision

Fire District Summary Report:

1. **Overview** This development can be serviced by the Middleton Rural Fire District. This development shall comply with the 2018 International Fire Code (IFC) and any codes set forth by the City of Middleton, Idaho.
2. **Fire Response Time:** This development will be served by the Middleton Rural Fire District Station 53, located at 302 E. Main St., Middleton, ID 83644. Station 53 is 0.7 miles with a travel time of 2 minutes under ideal driving conditions to the entrance of the Bridgewater Subdivision.
3. **Accessibility:** Roadway Access, Traffic, Radio Coverage
 - a. Access roads shall be provided and maintained following Appendix D and Section 503 of the IFC. Access shall include adequate roadway widths, signage, turnarounds, and turning radius for fire apparatus.
 - b. Access road design shall be designed and constructed to allow for evacuation simultaneously with emergency response operations.
 - c. All access roads in this development shall remain clear and unobstructed during construction of the development. Additional parking restrictions may be required as to always maintain access for emergency vehicles. Hydrants shall always remain unobstructed per city code.
 - d. One- or two-family dwelling residential developments: Developments of one- or two-family dwellings where the number of dwelling units exceeds 30 shall provide with at least two separate and approved fire apparatus access roads. With this purposed development utilizing the Bridgewater Subdivision main entrance the entrance will now be used by over 30 homes. (Bridgewater = 21 single family lots, The Hidden Mill Subdivision = 20 Single family lots)
 - i. Option – Provide secondary access.
 - ii. Option – Provide secondary emergency access only.
 - iii. Option - Where there are more than 30 dwelling units on a single public or private fire apparatus access road and all dwelling units are equipped throughout with an approved automatic sprinkler system in accordance with section 903.3.1.1, 903.1.2 or 903.3.1.3, access from two directions shall not be required.



MIDDLETON STAR FIRE DISTRICTS

Fire District Headquarters
11665 W. State St., Suite B
Star, Idaho 83669

Tel. No.: (208) 286-7772
Web: www.midstarfire.org
Email: permits@starfirerescue.org

- e. The fire district requires that Autoturn models be submitted for review. Autoturn models should reflect the utilization of a 36' long fire engine and a 50' long ladder truck.
 - f. Traffic calming devices will require approval by the Fire District
 - g. An unobstructed vertical clearance of no less than 13 feet 6 inches shall be always maintained.
 - h. Dead-end fire apparatus access roads (Common driveways & streets) in excess of 150 ft shall be provided with width and turnaround provisions in accordance with Table D103.4 of IFC.
 - i. Signs – Fire lane signs as specified in IFC section D103.6 shall be posted on one side of the fire apparatus access roads more than 26 feet wide and less than 32 feet wide starting at the entrance of Bridgewater Subdivision. (See attached picture)
 - j. The applicant shall work with City of Middleton and Middleton Rural Fire District to provide an address identification plan and signage which meets the requirements set forth by each agency. Addressing shall be placed in a position that is plainly legible and visible from the street or road fronting the property, as set forth in International Fire Code Section 505.1
 - k. All residential, commercial, and industrial buildings within the City shall have approved address numbers, building numbers, or approved building identification placed in a position that is plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. When required by the fire code official, address numbers shall be provided in additional approved locations to facilitate emergency response.
 - l. Address numbers shall have a minimum stroke width of one-half inch (0.5"), and of a color contrasting with the background. The required height of each address number shall be calculated by the distance of the addressed building from the road, as follows:

Less than one hundred feet (100')	6"
one hundred feet to one hundred fifty feet (100 - 150')	8"
one hundred fifty-one feet to two hundred feet (151 - 200')	10"
two hundred one feet to two hundred fifty-one feet (201 - 251')	12"
 - m. Upon commencement of initial construction of a new structure, a clear visible freestanding sign or post shall be erected and maintained in place until the permanent address numerals are attached or otherwise displaced upon the premises at completion.
4. **Water Supply:** Water supply requirements will be followed as described in Appendix B of the 2018 International Fire Code unless agreed upon by the Fire District.
- a. Fire Flow: One- and two-family dwellings not exceeding 3,600 square feet require a fire-flow of 1,000 gallons per minute for a duration of 1 hours to service the entire project. One- and two-family dwellings in excess of 3,600 square feet require a minimum fire flow as specified in Appendix B of the International Fire Code.



MIDDLETON STAR FIRE DISTRICTS

Fire District Headquarters
11665 W. State St., Suite B
Star, Idaho 83669

Tel. No.: (208) 286-7772
Web: www.midstarfire.org
Email: permits@starfirerescue.org

-
- b. Automatic Fire Sprinklers as option due to access. Will be in accordance with IFC and AHJ for review, approval and permitting.
 - c. Water Supply: Acceptance of the water supply for fire protection will be by the Fire District and water quality by the City of Middleton for bacteria testing.
 - d. Water Supply: Final Approval of the fire hydrant locations shall be by the Middleton Rural Fire District or their designee in accordance with International Fire Code Section (IFC) 508.5.4 as follows:
 - i. Fire hydrants shall have a Storz LDH connection in place of the 4 ½" outlet. The Storz connection may be integrated into the hydrant, or an approved adapter may be used on the 4 1/2" outlet.
 - ii. Fire hydrants shall have the Storz outlet face the main street or parking lot drive aisle.
 - iii. Fire hydrants shall be placed on corners when spacing permits.
 - iv. Fire hydrants shall not have any vertical obstructions to outlets within 10'.
 - v. Fire hydrants shall be placed 18" above finished grade to the center of the Storz outlet.
 - vi. Fire hydrants shall be provided to meet the requirements of the City of Middleton Water Standards.
 - vii. Show all proposed or existing hydrants for all new construction or additions to existing buildings within 1,000 feet of the project.
 5. **Inspections:** Final inspection by the Fire District of the above listed including hydrant flow must be completed before building permits are issued
 6. **Additional Comments:**
 - a. Side Setback as per City Code. Any modification to setback will require review and approval by the Fire District.
 - b. Streetlights shall be turned on once residential building begins, Lighting is essential in assisting first responders with identifying entrances safely while responding to calls for service.

EXHIBIT “D”

Surrounding Landowner Comments

June 4, 2022

Planning and Zoning Department
City of Middleton
P.O. Box 487
Middleton, ID 83644

To whom it may concern:

I am writing you concerning the public hearing notice sent via mail regarding Hidden Mill Preliminary Plat. It is my understanding that there is a public hearing to be held in regard to a proposed development of twenty residential lots and four common lots in the Hidden Mill Subdivision. I wish to express my comments and concerns prior to the public hearing concerning this matter.

I own the lot next to the designated area of this proposed development. I would support this development if the following terms were considered and met. First, I would ask the developer if we could tap into the existing utilities for our use, particularly the water and sewer utilities. Second, I would respectfully request that the developer build a privacy fence between the entire length of my lot and the proposed development at his or her sole expense on or before October 30, 2022. Third, should the developer want to extend the existing paved trail behind his or her development, that would be acceptable at the expense of the developer, even if it is built on or near my property. Finally, there is a private drive to my lot, and I would request that access to the new development does not utilize the private road to my building lot.

It has been a pleasure to have the opportunity to discuss this matter with your department. I am appreciative of the time and effort that is being put into making this project worthwhile, both for the developer as well as the current residents and landowners in the area. Also attached is an image that depicts the location of my lot (circled in yellow) in relation to the proposed development site. Please let me know if you have any additional questions regarding my comments, requests, or property.

Thank you,

Brent Schwab
505-695-3792
brentschwab@gmail.com

SITE

Crookside Ct

Bridgewater Way

Cobblestone Ct

Cornell St

anyon Dr

Dr

Public
Comment
Submitted
6/7/22
RLB

Sam Sommer


407 E. 1st St

Middleton Id, 83644

I own 260' across
the drain from your
project

I am concerned about
people accessing the
sewer pipe to my
property.

The Right of way
I hope you maintain
the R.W. for equip
to maintain the drain



I am concerned
with the car lights
turning around in the
cold sac's

About the new
crime rate,
who will police
the bike path

Thank you

Sam & Shannon
Sommer